

MORTALITY

1994

INTRODUCTION

The mortality information contained in this report covers deaths of New Jersey residents during the 1994 calendar year. The report's source document is the death certificate. New Jersey law requires the prompt filing of a death certificate by the proper authority in the event of a death occurring in the state. These certificates are submitted to the office of the State Registrar, where they are recorded and filed permanently.

Statistics on deaths of New Jersey residents which occurred in other states are obtained through participation in the national Vital Statistics Cooperative Program. Unless otherwise noted, the data presented in this report are for New Jersey residents.

All of the causes of deaths included in this report are underlying causes, and were coded by Bureau of Vital Statistics staff in accordance with the International Classification of Diseases, Ninth Revision, adapted for use in the United States. Additional causes of death listed on the certificates, including the immediate and intermediate causes, are not considered in the analysis. The inclusion of all listed causes of death (multiple causes of death) could lead to somewhat different results.

**TABLE M1. DEATH RATES BY AGE GROUP
NEW JERSEY, 1993 AND 1994**

AGE GROUP	1994		1993	
	NUMBER	RATE*	NUMBER	RATE*
Under 5	1,073	185.4	1,177	202.6
5-14	216	20.5	192	18.6
15-24	703	71.4	746	74.9
25-44	5,433	211.8	5,350	208.8
45-64	11,869	722.7	11,753	727.8
65-84	36,370	3,755.0	36,945	3,824.5
85 AND OVER	16,510	15,113.9	16,455	15,582.5
NOT STATED	9	N/A	12	N/A
TOTAL	72,183	502.1	72,630	510.2

*RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M2. THE TEN LEADING CAUSES OF DEATH RANKED BY FREQUENCY
NEW JERSEY, 1993 AND 1994**

CAUSE GROUP (ICD-9 CODES)	1994		1993		1993-1994	
	RANK	NUMBER OF DEATHS	RANK	NUMBER OF DEATHS	CHANGE IN DEATHS	
					NUMBER	PERCENT
DISEASES OF THE HEART (390-398, 402, 404-429)	1	23,502	1	23,978	-476	-2.0
MALIGNANT NEOPLASMS (140-208)	2	18,532	2	18,467	65	0.4
CEREBROVASCULAR DISEASES (430-438)	3	4,218	3	4,030	188	4.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2,573	4	2,638	-65	-2.5
HIV INFECTION (042-044)	5	2,434	6	2,294	140	6.1
PNEUMONIA/INFLUENZA (480-487)	6	2,346	5	2,547	-201	-7.9
DIABETES MELLITUS (250)	7	2,214	7	2,165	49	2.3
UNINTENTIONAL INJURIES (E800-E949)	8	2,072	8	2,109	-37	-1.8
SEPTICEMIA (038)	9	1,144	9	1,228	-84	-6.8
NEPHRITIS AND NEPHROSIS (580-589)	10	946	11	906	40	4.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	11	892	10	929	-37	-4.0

**TABLE M3. RESIDENT DEATHS AND DEATH RATES FROM
DISEASES OF THE HEART BY AGE GROUP
NEW JERSEY, 1985 AND 1994**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 5	15	2.6	16	3.1	-16.6
5-14	8	0.8	9	0.9	-15.6
15-24	28	2.8	23	1.9	47.7
25-44	455	17.7	516	22.0	-19.5
45-64	3,102	188.9	4,794	306.2	-38.3
65-84	12,512	1,291.8	15,281	1,771.0	-27.1
85 AND OVER	7,378	6,754.1	7,232	8,629.4	-21.7
NOT STATED	4	N/A	20	N/A	N/A
TOTAL	23,502	137.5	27,891	194.4	-29.2

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M4. RESIDENT DEATHS AND AGE-ADJUSTED DEATH RATES
FROM MALIGNANT NEOPLASMS, BY SITE
NEW JERSEY, 1985 AND 1994**

SITE (ICD-9 CODES)	1994		1985		PERCENT CHANGE**
	NUMBER OF DEATHS	AGE-ADJUSTED RATE*	NUMBER OF DEATHS	AGE-ADJUSTED RATE*	
LIP, ORAL CAVITY, PHARYNX (140-149)	254	2.1	330	3.1	-32.3
COLON AND RECTUM (153-154, 159.0)	2,272	15.6	2,410	18.6	-16.1
OTHER DIGESTIVE ORGANS (150-152, 155-158, 159.1-159.9)	2,568	18.9	2,263	18.7	1.1
LUNG AND BRONCHUS (162.2-162.9)	4,731	37.3	4,343	38.6	-3.4
BONE, SKIN, CONNECTIVE TISSUE (170-173)	473	4.0	418	4.1	-2.4
FEMALE BREAST (174)	1,633	24.1	1,681	28.2	-14.5
CERVIX UTERI (180)	158	2.9	147	2.8	3.6
OTHER/UNSPECIFIED FEMALE GENITAL ORGANS (179, 181-184)	812	11.2	723	11.4	-1.8
PROSTATE (185)	1,108	15.8	887	15.6	1.3
OTHER/UNSPECIFIED MALE GENITAL ORGANS (186-187)	20	--	27	--	--
URINARY ORGANS (188-189)	840	5.9	680	5.3	11.3
NERVOUS SYSTEM (191-192)	393	3.6	346	3.4	5.9
LEUKEMIA (204-208)	644	5.0	543	4.8	4.2
OTHER HEMATOPOIETIC TISSUE (200-203)	1,090	8.3	873	7.8	6.4
OTHER SITES (160.0-162.0, 163-165, 175, 190, 193-195)	435	3.6	323	2.9	24.1
UNSPECIFIED SITE (196-199)	1,101	7.9	1,005	8.5	-7.1
TOTAL (140-208)	18,532	139.6	16,999	145.5	-4.1

-- THE NUMBER OF DEATHS IS TOO SMALL TO COMPUTE A STABLE AGE-ADJUSTED RATE.

* AGE-ADJUSTED DEATH RATES ARE COMPUTED BASED ON THE TOTAL POPULATION, EXCEPT FOR CANCER OF THE PROSTATE AND OTHER MALE GENITAL ORGANS, FOR WHICH THE RATE IS BASED ON THE MALE POPULATION AND CANCER OF THE FEMALE BREAST, CERVIX UTERI, AND OTHER FEMALE GENITAL ORGANS, FOR WHICH THE RATE IS BASED ON THE FEMALE POPULATION.

**COMPUTED AS THE PERCENTAGE CHANGE IN THE AGE-ADJUSTED RATES.

**TABLE M5. RESIDENT DEATHS AND DEATH RATES FROM
MALIGNANT NEOPLASMS BY AGE GROUP
NEW JERSEY, 1985 AND 1994**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 5	17	2.9	20	3.9	-24.4
5-14	47	4.5	31	3.1	44.0
15-24	54	5.5	83	6.9	-21.1
25-44	727	28.3	736	31.4	-9.8
45-64	4,432	269.9	5,169	330.1	-18.3
65-84	11,022	1,137.9	9,411	1,090.7	4.3
85 AND OVER	2,233	2,044.2	1,544	1,842.3	11.0
NOT STATED	0	N/A	5	N/A	N/A
TOTAL	18,532	139.6	16,999	145.5	-4.1

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M6. RESIDENT DEATHS AND DEATH RATES FROM
CEREBROVASCULAR DISEASES BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 25	13	0.5	15	0.6	-10.2
25-44	130	5.1	123	5.2	-3.5
45-64	465	28.3	593	37.9	-25.2
65-84	2,194	226.5	2,416	280.0	-19.1
85 AND OVER	1,416	1,296.3	1,325	1,581.0	-18.0
NOT STATED	0	N/A	2	N/A	N/A
TOTAL	4,218	23.8	4,474	29.7	-19.9

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M7. RESIDENT DEATHS AND DEATH RATES FROM
CHRONIC OBSTRUCTIVE PULMONARY DISEASES BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 25	12	0.5	14	0.5	-11.2
25-44	38	1.5	28	1.2	24.0
45-64	296	18.0	344	22.0	-18.0
65-84	1,766	182.3	1,461	169.3	7.7
85 AND OVER	461	422.0	338	403.3	4.6
TOTAL	2,573	16.1	2,185	15.9	1.3

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M8. RESIDENT DEATHS AND DEATH RATES FROM
HIV INFECTION BY AGE GROUP
NEW JERSEY, 1988 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1988		PERCENT CHANGE IN DEATH RATE 1988-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 5	25	4.3	24	4.5	-4.3
5-14	24	2.3	3	0.3	643.6
15-24	32	3.2	28	2.5	31.5
25-44	1,746	68.1	919	36.7	85.3
45-64	553	33.7	204	13.1	158.0
65-84	50	5.2	30	3.3	57.1
85 AND OVER	3	2.7	2	2.2	23.6
NOT STATED	1	N/A	2	N/A	N/A
TOTAL	2,434	28.3	1,212	14.9	89.9

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M9. RESIDENT DEATHS AND DEATH RATES FROM
PNEUMONIA/INFLUENZA BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 5	27	4.7	31	6.0	-22.6
5-14	5	0.5	5	0.5	-5.0
15-24	2	0.2	14	1.2	-82.7
25-44	87	3.4	90	3.8	-11.7
45-64	172	10.5	233	14.9	-29.6
65-84	1,044	107.8	992	115.0	-6.2
85 AND OVER	1,009	923.7	788	940.3	-1.8
TOTAL	2,346	12.1	2,153	14.1	-14.2

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M10. RESIDENT DEATHS AND DEATH RATES FROM
DIABETES MELLITUS BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 25	4	0.2	7	0.3	-40.8
25-44	83	3.2	57	2.4	33.0
45-64	397	24.2	310	19.8	22.1
65-84	1,373	141.8	808	93.6	51.4
85 AND OVER	357	326.8	216	257.7	26.8
TOTAL	2,214	15.4	1,398	11.0	40.0

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M11. RESIDENT DEATHS AND DEATH RATES FROM
MOTOR VEHICLE INJURIES BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 5	13	2.2	16	3.1	-27.8
5-14	30	2.8	43	4.3	-33.7
15-24	160	16.2	277	23.2	-29.9
25-44	235	9.2	273	11.7	-21.4
45-64	144	8.8	171	10.9	-19.7
65-84	162	16.7	149	17.3	-3.1
85 AND OVER	30	27.5	24	28.6	-4.1
TOTAL	774	9.3	953	12.0	-22.5

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M12. RESIDENT DEATHS AND DEATH RATES FROM
NON-MOTOR-VEHICLE-RELATED UNINTENTIONAL INJURIES BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 5	43	7.4	49	9.5	-22.0
5-14	26	2.5	46	4.6	-46.3
15-24	85	8.6	126	10.5	-18.1
25-44	558	21.7	343	14.6	48.6
45-64	220	13.4	192	12.3	9.2
65-84	234	24.2	303	35.1	-31.2
85 AND OVER	130	119.0	141	168.2	-29.3
NOT STATED	2	N/A	3	N/A	N/A
TOTAL	1,298	13.5	1,203	12.9	4.7

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M13. RESIDENT DEATHS AND DEATH RATES FROM
SEPTICEMIA BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 5	21	3.6	14	2.7	33.4
5-14	1	0.1	0	0.0	N/A
15-24	3	0.3	4	0.3	-9.0
25-44	38	1.5	43	1.8	-19.3
45-64	124	7.6	139	8.9	-14.9
65-84	549	56.7	457	53.0	7.0
85 AND OVER	408	373.5	241	287.6	29.9
TOTAL	1,144	6.6	898	6.4	3.1

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED

**TABLE M14. RESIDENT DEATHS AND DEATH RATES FROM
NEPHRITIS AND NEPHROSIS BY AGE GROUP
NEW JERSEY, 1985 AND 1994
NEW JERSEY, 1993**

AGE GROUP	1994		1985		PERCENT CHANGE IN DEATH RATE 1985-1994
	NUMBER OF DEATHS	DEATH RATE*	NUMBER OF DEATHS	DEATH RATE*	
UNDER 25	12	0.5	17	0.6	-26.9
25-44	37	1.4	38	1.6	-11.1
45-64	101	6.2	135	8.6	-28.7
65-84	504	52.0	398	46.1	12.8
85 AND OVER	292	267.3	200	238.6	12.0
TOTAL	946	5.5	788	5.8	-5.2

*DEATH RATES ARE COMPUTED PER 100,000 AGE-SPECIFIC POPULATION
RATES PRESENTED FOR THE TOTAL POPULATION ARE AGE-ADJUSTED


**TABLE M15. LEADING CAUSES OF YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65
NEW JERSEY AND THE UNITED STATES, 1994**

CAUSE OF DEATH (ICD-9 CODES)	NEW JERSEY			UNITED STATES	
	RANK*	YPLL	RATE**	RANK*	RATE**
MALIGNANT NEOPLASMS (140-208)	1	62,719.0	918.8	2	823.2
HIV INFECTION (42-44)	2	60,995.0	893.5	4	469.1
UNINTENTIONAL INJURIES (E800-E949)	3	45,507.0	666.7	1	882.6
DISEASES OF THE HEART (390-398, 402. 404-429)	4	40,115.0	587.7	3	629.3
EARLY INFANT MORTALITY (760-779)	5	30,054.5	267.8	5	240.5
HOMICIDE & LEGAL INTERVENTION (E960-E978)	6	14,955.5	219.1	6	367.1
CONGENITAL ANOMALIES (740-759)	7	14,892.5	218.2	8	250.4
SUICIDE (E950-E959)	8	12,330.0	180.6	7	308.5
CEREBROVASCULAR DISEASE (430-438)	9	8,247.5	120.8	9	111.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	10	7,849.5	115.0	10	98.8
ALL OTHER CAUSES	--	73,130.5	1,071.3	--	1,078.2
TOTAL YPLL, ALL CAUSES	--	370,796.0	5,432.0	--	5,428.9

* RANK IS ASSIGNED ON THE BASIS OF YEARS OF POTENTIAL LIFE LOST TO AGE 65 ATTRIBUTED TO THE RESPECTIVE CAUSE GROUP
 **RATES ARE COMPUTED PER 100,000 POPULATION UNDER THE AGE OF 65, WITH THE EXCEPTION OF EARLY INFANT MORTALITY WHICH IS COMPUTED PER 1,000 LIVE BIRTHS


SOURCE: NEW JERSEY DEPARTMENT OF HEALTH AND SENIOR SERVICES
 CENTER FOR HEALTH STATISTICS

**FIGURE M4B. RATES FOR LEADING CAUSES OF YPLL
NEW JERSEY AND THE UNITED STATES, 1994**



**SOURCE: NEW JERSEY DEPARTMENT OF HEALTH AND SENIOR SERVICES
CENTER FOR HEALTH STATISTICS**

**FIGURE M5. YPLL DUE TO CANCER BY SITE
NEW JERSEY, 1994**



**SOURCE: NEW JERSEY DEPARTMENT OF HEALTH AND SENIOR SERVICES
CENTER FOR HEALTH STATISTICS**

**TABLE M16. LEADING CAUSES OF YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65
WHITE AND BLACK POPULATIONS
NEW JERSEY, 1994**

CAUSE OF DEATH (ICD-9 CODES)	WHITE			BLACK		
	RANK	YPLL	RATE*	RANK	YPLL	RATE*
MALIGNANT NEOPLASMS (140-208)	1	49,911.5	920.3	4	11,151.5	1,062.9
UNINTENTIONAL INJURIES (E800-E949)	2	32,091.0	591.7	3	12,679.0	1,208.5
DISEASES OF THE HEART (390-398, 402, 404-429)	3	29,718.5	548.0	5	9,537.5	909.0
HIV INFECTION (42-44)	4	26,540.5	489.4	1	34,304.5	3,269.7
EARLY INFANT MORTALITY (760-779)	5	16,058.0	194.0	2	13,480.5	575.4
CONGENITAL ANOMALIES (740-759)	6	10,957.0	202.0	7	3,389.5	323.1
SUICIDE (E950-E959)	7	10,545.0	194.4	12	1,490.0	142.0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	8	6,579.5	121.3	6	8,039.0	766.2
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	9	5,959.5	109.9	10	1,785.0	170.1
CEREBROVASCULAR DISEASE (430-438)	10	4,883.0	90.0	8	3,054.5	291.1
PNEUMONIA/INFLUENZA (480-487)	12	2,987.5	55.1	9	2,934.5	279.7
ALL OTHER CAUSES	--	42,578.0	785.1	--	22,760.0	2,169.3
TOTAL YPLL, ALL CAUSES	--	238,809.0	4,403.2	--	124,605.5	11,876.5

*RATES ARE COMPUTED PER 100,000 RACE-SPECIFIC POPULATION UNDER THE AGE OF 65 WITH THE EXCEPTION OF EARLY INFANT MORTALITY WHICH IS COMPUTED PER 1,000 RACE-SPECIFIC POPULATION UNDER THE AGE OF ONE.

**TABLE M17. YEARS OF POTENTIAL LIFE LOST DUE TO UNINTENTIONAL INJURY
BY TYPE OF INJURY AND RACE
NEW JERSEY, 1994**

CAUSE OF DEATH (ICD-9 CODES)	WHITE		BLACK	
	YPLL	RATE*	YPLL	RATE*
MOTOR VEHICLE RELATED (E810-E825)	13,955.0	257.3	3,999.0	381.2
DRUG POISONING (E850-E858)	10,710.0	197.5	4,759.5	453.6
DROWNINGS (E910)	1,512.5	27.9	586.0	55.9
FIRE AND FLAMES (E890-E899)	531.0	9.8	1,084.5	103.4
OTHER INJURIES	5,382.5	99.2	2,250.0	214.5
TOTAL INJURY YPLL (E800-E949)	32,091.0	591.7	12,679.0	1,208.5

*RATES ARE COMPUTED PER 100,000 RACE-SPECIFIC POPULATION UNDER THE AGE OF 65

**TABLE M18. YEARS OF POTENTIAL LIFE LOST DUE TO MALIGNANT NEOPLASMS
BY SITE AND RACE
NEW JERSEY, 1994**

CAUSE OF DEATH (ICD-9 CODES)	WHITE		BLACK	
	YPLL	RATE*	YPLL	RATE*
LUNG & BRONCHUS (162.2-162.9)	10,025.0	184.8	2,310.0	220.2
COLON & RECTUM (153-154, 159.0)	4,055.0	74.8	915.0	87.2
OTHER DIGESTIVE ORGANS (150-152, 155-158, 159.1-159.9)	4,892.0	90.2	1,585.0	151.1
LEUKEMIA (204-208)	3,446.0	63.5	696.5	66.4
OTHER HEMATOPOIETIC TISSUE (200-203)	3,537.0	65.2	685.0	65.3
FEMALE BREAST (174)	6,500.0	239.9	1,330.0	244.6
CERVIX UTERI (180)	1,300.0	48.0	510.0	93.8
OTHER/UNSPECIFIED FEMALE GENITAL ORGANS (179, 181-184)	2,255.0	83.2	445.0	81.8
NERVOUS SYSTEM (191-192)	3,206.0	59.1	345.0	32.9
BONE, SKIN, CONNECTIVE TISSUE (170-173)	3,135.0	57.8	410.0	39.1
URINARY ORGANS (188-189)	1,677.0	30.9	255.0	24.3
PROSTATE (185)	340.0	12.5	165.0	32.6
OTHER/UNSPECIFIED MALE GENITAL ORGANS (186-187)	280.0	10.3	25.0	4.9
LIP, ORAL CAVITY, PHARYNX (140-149)	850.0	15.7	310.0	29.5
OTHER SITES (160.0-162.0, 163-165, 175, 190, 193-195)	1,758.5	32.4	375.0	35.7
UNSPECIFIED SITES (196-199)	2,655.0	49.0	790.0	75.3
TOTAL YPLL (140-208)	49,911.5	920.3	11,151.5	1,062.9

RATES ARE COMPUTED PER 100,000 RACE-SPECIFIC POPULATION UNDER THE AGE OF 65, EXCEPT THE RATES FOR FEMALE BREAST, CERVIX UTERI, AND OTHER FEMALE GENITAL ORGANS WHICH ARE COMPUTED PER 100,000 RACE-SPECIFIC FEMALES UNDER THE AGE OF 65 AND THE RATES FOR PROSTATE AND OTHER MALE GENITAL ORGANS WHICH ARE CALCULATED PER 100,000 RACE-SPECIFIC MALES UNDER THE AGE OF 65.

**TABLE M19. LEADING CAUSES OF YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65
BY SEX
NEW JERSEY, 1994**

CAUSE OF DEATH (ICD-9 CODES)	MALE			FEMALE		
	RANK	YPLL	RATE*	RANK	YPLL	RATE*
HIV INFECTION (42-44)	1	43,002.5	1,267.4	2	17,992.5	524.1
UNINTENTIONAL INJURIES (E800-E949)	2	35,732.5	1,053.1	5	9,774.5	284.7
MALIGNANT NEOPLASMS (140-208)	3	30,553.0	900.5	1	32,166.0	936.9
DISEASES OF THE HEART (390-398, 402, 404-429)	4	28,543.0	841.2	4	11,572.0	337.1
EARLY INFANT MORTALITY (760-779)	5	16,834.5	294.5	3	13,220.0	240.0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	6	10,978.0	323.5	7	3,977.5	115.9
SUICIDE (E950-E959)	7	10,245.0	301.9	10	2,085.0	60.7
CONGENITAL ANOMALIES (740-759)	8	7,357.5	216.8	6	7,535.0	219.5
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	9	5,875.0	173.2	11	1,974.5	57.5
CEREBROVASCULAR DISEASE (430-438)	10	4,494.0	132.4	8	3,753.5	109.3
PNEUMONIA/INFLUENZA (480-487)	11	3,441.5	101.4	9	2,597.5	75.7
ALL OTHER CAUSES	--	39,446.0	1,162.6	--	27,645.5	805.2
TOTAL YPLL, ALL CAUSES	--	236,502.5	6,970.3	--	134,293.5	3,911.7

*RATES ARE COMPUTED PER 100,000 SEX-SPECIFIC POPULATION UNDER THE AGE OF 65 WITH THE EXCEPTION OF EARLY INFANT MORTALITY WHICH IS COMPUTED PER 1,000 SEX-SPECIFIC POPULATION UNDER THE AGE OF ONE.

**TABLE M20. YEARS OF POTENTIAL LIFE LOST DUE TO MALIGNANT NEOPLASMS
BY SITE AND SEX
NEW JERSEY, 1994**

CAUSE OF DEATH (ICD-9 CODES)	MALE		FEMALE	
	YPLL	RATE*	YPLL	RATE*
LUNG & BRONCHUS (162.2-162.9)	7,310.0	215.4	5,255.0	153.1
COLON & RECTUM (153-154, 159.0)	2,765.0	81.5	2,360.0	68.7
OTHER DIGESTIVE ORGANS (150-152, 155-158, 159.1-159.9)	4,772.0	140.6	2,085.0	60.7
LEUKEMIA (204-208)	2,606.0	76.8	1,952.5	56.9
OTHER HEMATOPOIETIC TISSUE (200-203)	2,782.0	82.0	1,470.0	42.8
FEMALE BREAST (174)	--	--	7,965.0	232.0
CERVIX UTERI (180)	--	--	1,815.0	52.9
OTHER/UNSPECIFIED FEMALE GENITAL ORGANS (179, 181-184)	--	--	2,740.0	79.8
NERVOUS SYSTEM (191-192)	1,964.0	57.9	1,662.0	48.4
BONE, SKIN, CONNECTIVE TISSUE (170-173)	2,010.0	59.2	1,540.0	44.9
URINARY ORGANS (188-189)	1,285.0	37.9	687.0	20.0
PROSTATE (185)	505.0	14.9	--	--
OTHER/UNSPECIFIED MALE GENITAL ORGANS (186-187)	305.0	9.0	--	--
LIP, ORAL CAVITY, PHARYNX (140-149)	855.0	25.2	345.0	10.0
OTHER SITES (160.0-162.0, 163-165, 175, 190, 193-195)	1,354.0	39.9	789.5	23.0
UNSPECIFIED SITES (196-199)	2,040.0	60.1	1,500.0	43.7
TOTAL YPLL (140-208)	30,553.0	900.5	32,166.0	936.9

RATES ARE COMPUTED PER 100,000 SEX-SPECIFIC POPULATION UNDER THE AGE OF 65.

**TABLE M21. FIVE LEADING CAUSES OF INFANT, NEONATAL AND POSTNEONATAL DEATHS
NEW JERSEY, 1994**

CAUSE OF DEATH (ICD-9 CODES)	INFANT DEATHS		NEONATAL DEATHS		POSTNEONATAL DEATHS	
	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER
CONGENITAL ANOMALIES (740-759)	1	185	1	129	2	56
DISORDERS RELATING TO SHORT GESTATION & UNSPECIFIED LOW BIRTH WEIGHT (765)	2	126	2	124		2
SUDDEN INFANT DEATH SYNDROME (798.0)	3.5	66		1	1	65
OTHER RESPIRATORY CONDITIONS OF FETUS & NEWBORN (770)	3.5	66	4	54		12
RESPIRATORY DISTRESS SYNDROME (769)	5	59	3	56		3
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)		50	5	50		0
PNEUMONIA/INFLUENZA (480-487)		22		1	3	21
UNINTENTIONAL INJURIES (E800-E949)		18		0	4	18
DISEASES OF THE CENTRAL NERVOUS SYSTEM (320-349)		17		2	5	15

TABLE M22. RESIDE

YEAR	RACE			SE
	TOTAL	WHITE	OTHER	MALE
1985	9.3	9.8	7.0	10.0
1986	9.4	9.8	7.0	9.9
1987	9.4	9.8	7.2	9.9
1988	9.4	9.9	7.1	9.9
1989	9.2	9.6	7.0	9.5
1990	9.0	9.4	6.9	9.4
1991	9.1	9.5	7.1	9.5
1992	9.1	9.5	6.9	9.5
1993	9.2	9.7	7.2	9.6
1994	9.1	9.6	6.9	9.4

*DEATH RATES ARE COMPUTED PER 1,000 ESTIMATED POP

**TABLE M23. TOTAL RESIDENT DEATHS BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+	NOT STATED
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	50	0	0	0	0	9	14	27	0
TUBERCULOSIS, OTHER FORMS (13-18)	16	0	0	0	0	7	4	5	0
MENINGOCOCCAL INFECTION (36)	12	3	2	2	0	4	1	0	0
SEPTICEMIA (38)	1,144	13	8	1	3	38	124	957	0
HIV INFECTION (42-44)	2,434	8	17	24	32	1,746	553	53	1
SYPHILIS & ITS SEQUELAE (90-97)	6	0	0	0	0	2	0	4	0
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	317	10	4	4	7	60	90	142	0
MALIGNANT NEOPLASMS (140-208)	18,532	2	15	47	54	727	4,432	13,255	0
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	182	2	1	2	3	10	26	138	0
DIABETES MELLITUS (250)	2,214	0	0	1	3	83	397	1,730	0
NUTRITIONAL DEFICIENCIES (260-269)	104	1	0	0	0	1	3	99	0
ANEMIAS (280-285)	188	2	0	0	3	23	17	143	0
MENINGITIS (320-322)	21	4	1	1	1	3	1	10	0
DISEASES OF THE HEART (390-398, 402, 404-429)	23,502	12	3	8	28	455	3,102	19,890	4
HYPERTENSION (401, 403)	271	0	0	0	0	6	42	223	0
CEREBROVASCULAR DISEASES (430-438)	4,218	5	0	1	7	130	465	3,610	0
ATHEROSCLEROSIS (440)	428	0	0	0	0	2	26	400	0
ARTERY, ARTERIOLES & CAPILLARY DISEASES (441-448)	776	0	1	0	3	27	109	636	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	14	3	1	0	0	0	3	7	0
PNEUMONIA & INFLUENZA (480-487)	2,346	22	5	5	2	87	172	2,053	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2,573	1	1	3	7	38	296	2,227	0
ULCER OF STOMACH & DUODENUM (531-533)	158	1	0	1	0	7	24	125	0
APPENDICITIS (540-543)	16	0	1	0	1	0	4	10	0
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	181	4	0	1	0	4	15	157	0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	892	1	0	0	2	149	360	380	0
CHOLELITHIASIS & GALLBLADDER DISORDERS (574-575)	86	0	0	0	0	4	9	73	0
NEPHRITIS & NEPHROSIS (580-589)	946	10	0	1	1	37	101	796	0
INFECTIONS OF KIDNEY (590)	12	1	0	0	0	0	2	9	0
HYPERPLASIA OF PROSTATE (600)	9	0	0	0	0	0	0	9	0
COMP OF PREGNANCY, BIRTH & PUERPERIUM (630-676)	12	0	0	0	0	12	0	0	0
CONGENITAL ANOMALIES (740-759)	313	185	15	5	12	31	26	39	0
EARLY INFANT MORTALITY (760-779)	466	465	1	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	774	2	11	30	160	235	144	192	0
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	1,298	16	27	26	85	558	220	364	2
SUICIDE (E950-E959)	588	0	0	2	75	231	166	114	0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	433	11	18	20	128	182	48	26	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	166	3	1	1	19	89	31	22	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	420	81	5	1	20	78	52	183	0
RESIDUAL	6,065	42	25	29	47	358	790	4,772	2
TOTAL	72,183	910	163	216	703	5,433	11,869	52,880	9

**TABLE M23A. TOTAL RESIDENT WHITE MALE DEATHS BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+	NOT STATED
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	13	0	0	0	0	1	2	10	0
TUBERCULOSIS, OTHER FORMS (13-18)	5	0	0	0	0	4	0	1	0
MENINGOCOCCAL INFECTION (36)	5	0	1	1	0	2	1	0	0
SEPTICEMIA (38)	396	1	1	1	3	10	54	326	0
HIV INFECTION (42-44)	847	1	5	3	9	592	215	21	1
SYPHILIS & ITS SEQUELAE (90-97)	1	0	0	0	0	0	0	1	0
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	118	4	1	2	2	23	37	49	0
MALIGNANT NEOPLASMS (140-208)	8,181	0	7	17	25	251	1,826	6,055	0
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	66	1	1	1	2	5	8	48	0
DIABETES MELLITUS (250)	793	0	0	0	0	30	177	586	0
NUTRITIONAL DEFICIENCIES (260-269)	32	1	0	0	0	0	1	30	0
ANEMIAS (280-285)	48	0	0	0	1	3	8	36	0
MENINGITIS (320-322)	8	2	0	0	0	0	0	6	0
DISEASES OF THE HEART (390-398, 402, 404-429)	10,250	0	2	4	10	235	1,830	8,167	2
HYPERTENSION (401, 403)	97	0	0	0	0	1	14	82	0
CEREBROVASCULAR DISEASES (430-438)	1,462	2	0	1	3	43	165	1,248	0
ATHEROSCLEROSIS (440)	150	0	0	0	0	2	19	129	0
ARTERY, ARTERIOLES & CAPILLARY DISEASES (441-448)	386	0	1	0	1	11	61	312	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	5	1	0	0	0	0	1	3	0
PNEUMONIA & INFLUENZA (480-487)	966	2	0	1	1	25	72	865	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1,144	0	0	0	4	9	122	1,009	0
ULCER OF STOMACH & DUODENUM (531-533)	68	0	0	0	0	1	13	54	0
APPENDICITIS (540-543)	7	0	1	0	1	0	2	3	0
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	56	2	0	0	0	2	5	47	0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	482	0	0	0	2	89	204	187	0
CHOLELITHIASIS & GALLBLADDER DISORDERS (574-575)	28	0	0	0	0	0	5	23	0
NEPHRITIS & NEPHROSIS (580-589)	343	3	0	0	0	5	39	296	0
INFECTIONS OF KIDNEY (590)	3	0	0	0	0	0	0	3	0
HYPERPLASIA OF PROSTATE (600)	9	0	0	0	0	0	0	9	0
CONGENITAL ANOMALIES (740-759)	114	71	3	2	3	10	12	13	0
EARLY INFANT MORTALITY (760-779)	142	142	0	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	398	0	4	12	85	142	73	82	0
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	697	5	9	9	54	344	122	152	2
SUICIDE (E950-E959)	410	0	0	1	56	159	114	80	0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	139	3	2	5	41	65	15	8	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	89	2	0	0	16	50	13	8	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	168	20	0	0	10	50	31	57	0
RESIDUAL	2,229	13	9	9	18	141	339	1,700	0
TOTAL	30,355	276	47	69	347	2,305	5,600	21,706	5

**TABLE M23B. TOTAL RESIDENT WHITE FEMALE DEATHS BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+	NOT STATED
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	10	0	0	0	0	0	3	7	0
TUBERCULOSIS, OTHER FORMS (13-18)	4	0	0	0	0	0	1	3	0
MENINGOCOCCAL INFECTION (36)	4	2	1	1	0	0	0	0	0
SEPTICEMIA (38)	550	3	0	0	0	9	29	509	0
HIV INFECTION (42-44)	215	0	3	3	2	176	24	7	0
SYPHILIS & ITS SEQUELAE (90-97)	1	0	0	0	0	0	0	1	0
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	101	1	2	2	2	6	23	65	0
MALIGNANT NEOPLASMS (140-208)	8,082	1	4	21	20	315	1,758	5,963	0
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	97	1	0	1	1	3	11	80	0
DIABETES MELLITUS (250)	1,011	0	0	0	2	29	112	868	0
NUTRITIONAL DEFICIENCIES (260-269)	63	0	0	0	0	1	1	61	0
ANEMIAS (280-285)	86	1	0	0	0	4	1	80	0
MENINGITIS (320-322)	5	0	0	0	1	0	0	4	0
DISEASES OF THE HEART (390-398, 402, 404-429)	10,887	5	1	0	8	71	658	10,143	1
HYPERTENSION (401, 403)	108	0	0	0	0	1	10	97	0
CEREBROVASCULAR DISEASES (430-438)	2,175	2	0	0	2	26	131	2,014	0
ATHEROSCLEROSIS (440)	241	0	0	0	0	0	4	237	0
ARTERY, ARTERIOLES & CAPILLARY DISEASES (441-448)	311	0	0	0	0	10	22	279	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	5	0	1	0	0	0	1	3	0
PNEUMONIA & INFLUENZA (480-487)	1,114	7	1	2	0	17	43	1,044	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1,190	0	0	0	2	9	127	1,052	0
ULCER OF STOMACH & DUODENUM (531-533)	69	0	0	0	0	1	7	61	0
APPENDICITIS (540-543)	8	0	0	0	0	0	1	7	0
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	101	1	0	0	0	2	6	92	0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	262	1	0	0	0	26	70	165	0
CHOLELITHIASIS & GALLBLADDER DISORDERS (574-575)	46	0	0	0	0	2	2	42	0
NEPHRITIS & NEPHROSIS (580-589)	428	2	0	1	1	6	24	394	0
INFECTIONS OF KIDNEY (590)	7	1	0	0	0	0	0	6	0
COMP OF PREGNANCY, BIRTH & PUERPERIUM (630-676)	5	0	0	0	0	5	0	0	0
CONGENITAL ANOMALIES (740-759)	126	65	7	2	3	17	10	22	0
EARLY INFANT MORTALITY (760-779)	107	106	1	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	223	0	1	7	35	51	36	93	0
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	278	1	3	3	12	45	36	178	0
SUICIDE (E950-E959)	105	0	0	1	7	36	37	24	0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	63	2	4	4	13	20	12	8	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	40	0	1	1	1	16	8	13	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	157	17	3	0	2	12	10	113	0
RESIDUAL	3,006	13	9	11	16	89	253	2,615	0
TOTAL	31,291	232	42	60	130	1,005	3,471	26,350	1

**TABLE M23C. TOTAL RESIDENT BLACK MALE DEATHS BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+	NOT STATED
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	14	0	0	0	0	4	6	4	0
TUBERCULOSIS, OTHER FORMS (13-18)	4	0	0	0	0	2 +306	2	0	0
MENINGOCOCCAL INFECTION (36)	1	0	0	0	0	1	0	0	0
SEPTICEMIA (38)	90	4	5	0	0	11	26	44	0
HIV INFECTION (42-44)	923	4	5	4	8	644	244	14	0
SYPHILIS & ITS SEQUELAE (90-97)	2	0	0	0	0	2	0	0	0
OTHER INFEC/PARA DISEASE (1-3, 5, 20-35, 37, 39-41, 45-88, 98-139)	48	4	0	0	1	17	18	8	0
MALIGNANT NEOPLASMS (140-208)	1,107	0	0	5	4	60	428	610	0
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	6	0	0	0	0	0	4	2	0
DIABETES MELLITUS (250)	152	0	0	0	1	13	43	95	0
NUTRITIONAL DEFICIENCIES (260-269)	4	0	0	0	0	0	1	3	0
ANEMIAS (280-285)	19	0	0	0	1	5	3	10	0
MENINGITIS (320-322)	6	1	1	1	0	2	1	0	0
DISEASES OF THE HEART (390-398, 402, 404-429)	1,045	2	0	2	8	83	337	613	0
HYPERTENSION (401, 403)	24	0	0	0	0	3	8	13	0
CEREBROVASCULAR DISEASES (430-438)	242	0	0	0	1	27	85	129	0
ATHEROSCLEROSIS (440)	12	0	0	0	0	0	0	12	0
ARTERY, ARTERIOLES & CAPILLARY DISEASES (441-448)	36	0	0	0	0	4	13	19	0
PNEUMONIA & INFLUENZA (480-487)	134	7	3	2	1	24	34	63	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	128	1	1	3	0	6	27	90	0
ULCER OF STOMACH & DUODENUM (531-533)	11	0	0	1	0	4	2	4	0
APPENDICITIS (540-543)	1	0	0	0	0	0	1	0	0
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	11	1	0	0	0	0	1	9	0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	93	0	0	0	0	21	56	16	0
CHOLELITHIASIS & GALLBLADDER DISORDERS (574-575)	2	0	0	0	0	0	1	1	0
NEPHRITIS & NEPHROSIS (580-589)	80	4	0	0	0	21	20	35	0
INFECTIONS OF KIDNEY (590)	1	0	0	0	0	0	1	0	0
CONGENITAL ANOMALIES (740-759)	26	18	2	1	2	2	1	0	0
EARLY INFANT MORTALITY (760-779)	116	116	0	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	97	1	3	9	28	29	20	7	0
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	234	5	12	7	16	130	47	17	0
SUICIDE (E950-E959)	49	0	0	0	9	28	8	4	0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	169	3	6	4	65	69	15	7 +306	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	27	0	0	0	2	17	7	1	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS(780-799)	51	21	1	1	4	12	8	4	0
RESIDUAL	399	8	4	2	3	68	117	196	1
TOTAL	5,364	200	43	42	154	1,309	1,585	2,030	1

**TABLE M23D. TOTAL RESIDENT BLACK FEMALE DEATHS BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+	NOT STATED
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	7	0	0	0	0	2	2	3	0
TUBERCULOSIS, OTHER FORMS (13-18)	3	0	0	0	0	1	1	1	0
MENINGOCOCCAL INFECTION (36)	2	1	0	0	0	1	0	0	0
SEPTICEMIA (38)	97	5	2	0	0	7	12	71	0
HIV INFECTION (42-44)	443	3	4	14	13	330	68	11	0
SYPHILIS & ITS SEQUELAE (90-97)	2	0	0	0	0	0	0	2	0
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	43	1	1	0	1	13	11	16	0
MALIGNANT NEOPLASMS (140-208)	972	1	1	2	4	76	346	542	0
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	11	0	0	0	0	1	3	7	0
DIABETES MELLITUS (250)	231	0	0	1	0	11	57	162	0
NUTRITIONAL DEFICIENCIES (260-269)	5	0	0	0	0	0	0	5	0
ANEMIAS (280-285)	32	0	0	0	1	11	5	15	0
MENINGITIS (320-322)	2	1	0	0	0	1	0	0	0
DISEASES OF THE HEART (390-398, 402, 404-429)	1,137	3	0	1	2	59	219	852	1
HYPERTENSION (401, 403)	39	0	0	0	0	1	9	29	0
CEREBROVASCULAR DISEASES (430-438)	296	1	0	0	1	27	71	196	0
ATHEROSCLEROSIS (440)	20	0	0	0	0	0	2	18	0
ARTERY, ARTERIOLES & CAPILLARY DISEASES (441-448)	43	0	0	0	2	2	13	26	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	1	0	0	0	0	1	1	0
PNEUMONIA & INFLUENZA (480-487)	113	6	0	0	0	20	19	68	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	92	0	0	0	0	12	19	61	0
ULCER OF STOMACH & DUODENUM (531-533)	7	0	0	0	0	1	2	4	0
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	12	0	0	1	0	0	2	9	0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	47	0	0	0	0	12	24	11	0
CHOLELITHIASIS & GALLBLADDER DISORDERS (574-575)	9	0	0	0	0	2	1	6	0
NEPHRITIS & NEPHROSIS (580-589)	89	1	0	0	0	4	17	67	0
INFECTIONS OF KIDNEY (590)	1	0	0	0	0	0	1	0	0
COMP OF PREGNANCY, BIRTH & PUERPERIUM (630-676)	7	0	0	0	0	7	0	0	0
CONGENITAL ANOMALIES (740-759)	37	23	3	0	4	1	2	4	0
EARLY INFANT MORTALITY (760-779)	93	93	0	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	30	1	2	2	5	9	8	3	0
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	81	5	3	7	2	35	13	16	0
SUICIDE (E950-E959)	10	0	0	0	2	2	3	3	0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	51	3	5	7	8	21	5	2	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	6	1	0	0	0	3	2	0	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	32	20	1	0	2	2	2	5	0
RESIDUAL	372	7	2	6	8	52	71	225	1
TOTAL	4,477	177	24	41	55	726	1,011	2,441	2

**TABLE M23E. TOTAL RESIDENT OTHER RACE MALE DEATHS BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	3	0	0	0	0	0	0	3
SEPTICEMIA (38)	5	0	0	0	0	1	1	3
HIV INFECTION (42-44)	5	0	0	0	0	3	2	0
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	3	0	0	0	0	1	0	2
MALIGNANT NEOPLASMS (140-208)	89	0	2	0	0	14	33	40
DIABETES MELLITUS (250)	17	0	0	0	0	0	7	10
ANEMIAS (280-285)	1	1	0	0	0	0	0	0
DISEASES OF THE HEART (390-398, 402, 404-429)	109	0	0	0	0	6	40	63
HYPERTENSION (401, 403)	2	0	0	0	0	0	1	1
CEREBROVASCULAR DISEASES (430-438)	14	0	0	0	0	2	6	6
ATHEROSCLEROSIS (440)	1	0	0	0	0	0	1	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	1	1	0	0	0	0	0	0
PNEUMONIA & INFLUENZA (480-487)	11	0	0	0	0	1	4	6
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	0	0	0	1	1	1	12
ULCER OF STOMACH & DUODENUM (531-533)	1	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	6	0	0	0	0	1	4	1
NEPHRITIS & NEPHROSIS (580-589)	4	0	0	0	0	1	1	2
CONGENITAL ANOMALIES (740-759)	5	4	0	0	0	0	1	0
EARLY INFANT MORTALITY (760-779)	2	2	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	17	0	1	0	7	1	4	4
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	4	0	0	0	0	2	1	1
SUICIDE (E950-E959)	10	0	0	0	1	4	3	2
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	0	0	0	0	6	1	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	2	0	0	0	0	1	1	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	3	2	0	0	1	0	0	0
RESIDUAL	23	1	0	1	1	0	6	14
TOTAL	360	11	3	1	11	45	118	171

**TABLE M23F. TOTAL RESIDENT OTHER RACE FEMALE DEATHS BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	3	0	0	0	0	2	1	0
SEPTICEMIA (38)	5	0	0	0	0	0	2	3
HIV INFECTION (42-44)	1	0	0	0	0	1	0	0
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	4	0	0	0	1	0	1	2
MALIGNANT NEOPLASMS (140-208)	85	0	1	1	1	9	37	36
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	1	0	0	0	0	0	0	1
DIABETES MELLITUS (250)	9	0	0	0	0	0	0	9
ANEMIAS (280-285)	2	0	0	0	0	0	0	2
DISEASES OF THE HEART (390-398, 402, 404-429)	58	1	0	1	0	0	10	46
CEREBROVASCULAR DISEASES (430-438)	27	0	0	0	0	4	7	16
ATHEROSCLEROSIS (440)	4	0	0	0	0	0	0	4
PNEUMONIA & INFLUENZA (480-487)	7	0	1	0	0	0	0	6
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	0	0	0	0	0	0	2
ULCER OF STOMACH & DUODENUM (531-533)	1	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2	0	0	0	0	0	2	0
CHOLELITHIASIS & GALLBLADDER DISORDERS (574-575)	1	0	0	0	0	0	0	1
NEPHRITIS & NEPHROSIS (580-589)	2	0	0	0	0	0	0	2
CONGENITAL ANOMALIES (740-759)	2	1	0	0	0	1	0	0
EARLY INFANT MORTALITY (760-779)	4	4	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	7	0	0	0	0	3	2	2
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	2	0	0	0	1	0	1	0
SUICIDE (E950-E959)	4	0	0	0	0	2	1	1
HOMICIDE & LEGAL INTERVENTION (E960-E978)	3	0	1	0	0	1	0	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	2	0	0	0	0	2	0	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	3	1	0	0	0	0	0	2
RESIDUAL	25	0	0	0	0	2	1	22
TOTAL	266	7	3	2	3	27	65	159

**TABLE M23G. TOTAL RESIDENT MALE DEATHS , RACE NOT STATED, BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+
MALIGNANT NEOPLASMS (140-208)	8	0	0	1	0	0	3	4
DIABETES MELLITUS (250)	1	0	0	0	0	0	1	0
DISEASES OF THE HEART (390-398, 402, 404-429)	9	0	0	0	0	1	6	2
ULCER OF STOMACH & DUODENUM (531-533)	1	1	0	0	0	0	0	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	0	0	0	1	0	0
HERNIA & INTESTINAL OBSTRUCTION (550-553, 560)	1	0	0	0	0	0	1	0
CONGENITAL ANOMALIES (740-759)	2	2	0	0	0	0	0	0
EARLY INFANT MORTALITY (760-779)	1	1	0	0	0	0	0	0
MOTOR VEHICLE FATALITIES (E810-E825)	2	0	0	0	0	0	1	1
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	2	0	0	0	0	2	0	0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	0	0	0	1	0	0	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	4	0	0	0	1	1	1	1
RESIDUAL	9	0	1	0	0	5	3	0
TOTAL	42	4	1	1	2	10	16	8

**TABLE M23H. TOTAL RESIDENT FEMALE DEATHS, RACE NOT STATED, BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+
SEPTICEMIA (38)	1	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS (140-208)	8	0	0	0	0	2	1	5
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	1	0	0	0	0	1	0	0
DISEASES OF THE HEART (390-398, 402, 404-429)	7	1	0	0	0	0	2	4
CEREBROVASCULAR DISEASES (430-438)	2	0	0	0	0	1	0	1
PNEUMONIA & INFLUENZA (480-487)	1	0	0	0	0	0	0	1
CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	0	0	0	0	0	1
CONGENITAL ANOMALIES (740-759)	1	1	0	0	0	0	0	0
EARLY INFANT MORTALITY (760-779)	1	1	0	0	0	0	0	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	2	0	0	0	0	1	0	1
RESIDUAL	2	0	0	0	1	1	0	0
TOTAL	27	3	0	0	1	6	3	14

**TABLE M23I . TOTAL RESIDENT WHITE DEATHS, SEX NOT STATED, BY CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65+
HYPERTENSION (401,403)	1	0	0	0	0	0	0	1
TOTAL	1	0	0	0	0	0	0	1

**TABLE M24. TOTAL RESIDENT DEATHS BY DETAILED CAUSE AND AGE GROUP
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	<1	1-14	15-24	25-44	45-64	65+	UNK
Infectious & Parasitic Diseases (1-139)	3,979	34	62	42	1,866	786	1,188	1
Tuberculosis, Respiratory System (10-12)	50	0	0	0	9	14	27	0
Tuberculosis, Other Forms (13-18)	16	0	0	0	7	4	5	0
Septicemia (38)	1,144	13	9	3	38	124	957	0
HIV Infection (42-44)	2,434	8	41	32	1,746	553	53	1
Other Infectious & Parasitic Diseases	335	13	12	7	66	91	146	0
Malignant Neoplasms (140-208)	18,532	2	62	54	727	4,432	13,255	0
Benign & Unspecified Neoplasms (210-239)	182	2	3	3	10	26	138	0
Endocrine, Nutritional, & Metabolic Diseases & Immunity Disorders	2,913	6	13	12	124	493	2,265	0
Diabetes Mellitus (250)	2,214	0	1	3	83	397	1,730	0
Nutritional Deficiencies (260-269)	104	1	0	0	1	3	99	0
Disorders of Fluid, Electrolyte, & Acid-Base Balance (276)	278	1	0	1	4	20	252	0
Other Endocrine, Nutritional, & Metabolic Diseases & Immunity	317	4	12	8	36	73	184	0
Diseases of Blood & Blood-Forming Organs (280-289)	376	3	1	4	39	51	278	0
Anemias (280-285)	188	2	0	3	23	17	143	0
Other Diseases of Blood & Blood-Forming Organs	188	1	1	1	16	34	135	0
Mental Disorders (290-319)	747	0	2	2	78	96	568	1
Presenile Dementia (290.1)	140	0	0	0	0	1	139	0
Other Mental Disorders (290.0, 290.2-319)	607	0	2	2	78	95	429	1
Diseases of the Nervous System and Sense Organs (320-389)	1,341	17	21	16	62	160	1,065	0
Meningitis (320-322)	21	4	2	1	3	1	10	0
Alzheimer's Disease (331.0)	448	0	0	0	0	6	442	0
Parkinson's Disease (332)	321	0	0	0	0	7	314	0
Other Nervous System & Sense Organ Diseases	551	13	19	15	59	146	299	0
Diseases of the Heart (390-398, 402, 404-429)	23,502	12	11	28	455	3,102	19,890	4
Chronic Rheumatic Heart Disease (393-398)	190	0	0	0	7	19	164	0
Hypertensive Heart Disease (402)	763	0	0	0	20	146	597	0
Acute Myocardial Infarction (410)	7,398	0	0	2	119	1,140	6,137	0
Other Ischemic Heart Disease (411-414)	8,808	0	0	2	100	843	7,862	1
Pulmonary Circulation Diseases (415-417)	358	4	0	3	28	75	248	0
Aortic Valve Disorders (424.1)	407	0	0	0	11	25	371	0
Endocarditis, Valve Unspecified (424.9)	124	0	0	0	12	18	94	0
Cardiomyopathy (425)	839	1	2	5	66	212	553	0
Cardiac Dysrhythmias (427)	1,057	4	3	8	32	134	875	1
Atrial Fibrillation (427.3)	175	0	0	0	0	7	168	0
Cardiac Arrest (427.5)	557	2	3	4	17	83	448	0
Other Cardiac Dysrhythmias	325	2	0	4	15	44	259	1
Heart Failure (428)	1,149	1	1	1	4	65	1,077	0
Congestive Heart Failure (428.0)	1,057	1	0	1	3	58	994	0
Other Heart Failure	92	0	1	0	1	7	83	0
Ill-Defined Descriptions & Complications of Heart Disease (429)	2,216	0	3	6	35	400	1,770	2
Cardiovascular Disease, Unspecified (429.2)	2,099	0	0	0	22	372	1,703	2
Other Ill-Defined Heart Disease	117	0	3	6	13	28	67	0
Other Heart Disease	193	2	2	1	21	25	142	0

**TABLE M24. TOTAL RESIDENT DEATHS BY DETAILED CAUSE AND AGE GROUP (CONTINUED)
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	<1	1-14	15-24	25-44	45-64	65+	UNK
Hypertension (401, 403)	271	0	0	0	6	42	223	0
Cerebrovascular Diseases (430-438)	4,218	5	1	7	130	465	3,610	0
Atherosclerosis (440)	428	0	0	0	2	26	400	0
Artery, Arterioles, & Capillary Diseases (441-448)	776	0	1	3	27	109	636	0
Diseases of Veins & Lymphatics, & Other Diseases of Circulatory System (451-459)	144	0	0	0	20	31	93	0
Diseases of the Respiratory System (460-519)	5,781	32	21	19	153	556	4,999	1
Pneumonia (480-486)	2,338	22	9	2	85	172	2,048	0
Influenza (487)	8	0	1	0	2	0	5	0
Chronic Obstructive Pulmonary Disease (490-496)	2,573	1	4	7	38	296	2,227	0
Chronic Bronchitis (491)	66	0	0	0	0	12	54	0
Emphysema (492)	471	0	1	0	3	66	401	0
Asthma (493)	138	0	3	6	24	54	51	0
Other Chronic Obstructive Pulmonary Disease	1,898	1	0	1	11	164	1,721	0
Other Respiratory System Diseases (460-478, 500-519)	862	9	7	10	28	88	719	1
Pneumonitis due to Solids or Liquids (507)	316	1	1	3	5	10	296	0
Postinflammatory Pulmonary Fibrosis (515)	134	0	2	1	4	31	96	0
Other Respiratory System Disease	412	8	4	6	19	47	327	1
Diseases of the Digestive System (520-579)	2,516	22	15	7	235	597	1,640	0
Ulcer of Stomach & Duodenum (531-533)	158	1	1	0	7	24	125	0
Hernia & Intestinal Obstruction (550-553, 560)	181	4	1	0	4	15	157	0
Vascular Insufficiency of Intestine (557)	174	2	1	0	3	18	150	0
Diverticula of Intestine (562)	91	0	0	0	2	6	83	0
Peritonitis (567)	51	0	0	0	3	6	42	0
Chronic Liver Disease & Cirrhosis (571)	892	1	0	2	149	360	380	0
Liver Abscess & Sequelae of Chronic Liver Disease (572)	168	3	3	1	25	51	85	0
Cholelithiasis & Gallbladder Disease (574-575)	86	0	0	0	4	9	73	0
Pancreas Disease (577)	74	1	0	0	5	19	49	0
Gastrointestinal Hemorrhage (578)	241	0	1	0	4	23	213	0
Other Digestive System Disease	400	10	8	4	29	66	283	0
Nephritis & Nephrosis (580-589)	946	10	1	1	37	101	796	0
Other Genitourinary System Disease (590-629)	617	1	2	1	17	53	543	0
Complications of Pregnancy, Birth, & Puerperium (630-676)	12	0	0	0	12	0	0	0
Diseases of the Skin & Subcutaneous Tissue (680-709)	131	0	0	1	2	11	117	0
Diseases of the Musculoskeletal System & Connective Tissue (710-739)	313	1	0	4	27	45	236	0

**TABLE M24. TOTAL RESIDENT DEATHS BY DETAILED CAUSE AND AGE GROUP (CONTINUED)
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	<1	1-14	15-24	25-44	45-64	65+	UNK
Congenital Anomalies (740-759)	313	185	20	12	31	26	39	0
Early Infant Mortality (760-779)	466	465	1	0	0	0	0	0
Symptoms, Signs, & Ill-Defined Conditions (789-799)	420	81	6	20	78	52	183	0
Unintentional Injuries (E800-E949)	2,072	18	94	245	793	364	556	2
Motor Vehicle (E810-E825)	774	2	41	160	235	144	192	0
Poisoning by Drugs, Medicaments, & Biologicals (E850-E858)	548	1	0	41	420	79	6	1
Falls (E880-E888)	289	0	5	3	27	44	210	0
Caused by Fire & Flames (E890-E899)	83	1	18	2	9	19	34	0
Due to Natural & Environmental Factors (E900-E909)	32	0	2	0	6	8	16	0
Caused by Excessive Heat due to Weather Conditions (E900)	4	0	0	0	1	3	0	0
Other Due to Natural & Environmental Factors	28	0	2	0	5	5	16	0
Caused by Submersion, Suffocation, & Foreign Bodies (E910-E915)	150	10	22	17	26	24	51	0
Drowning & Submersion (E910)	60	1	15	12	17	11	4	0
Inhalation/Ingestion of Food Causing Obstruction	21	1	1	2	1	6	10	0
Inhalation/Ingestion of Other Object Causing Obstruction	49	2	2	0	3	6	36	0
Other Caused by Suffocation & Foreign Bodies	20	6	4	3	5	1	1	0
Other Unintentional Injuries	196	4	6	22	70	46	47	1
Suicide (E950-E959)	588	0	2	75	231	166	114	0
By Poisoning by Solid or Liquid Substance (E950)	79	0	0	2	38	28	11	0
By Motor Vehicle Exhaust Gas (E952.0)	58	0	0	5	20	27	6	0
By Hanging (E953.0)	174	0	0	28	76	42	28	0
By Firearms (E955.0-E955.4)	191	0	2	30	68	48	43	0
By Cutting & Piercing Instruments (E956)	11	0	0	0	5	3	3	0
By Jumping from High Place (E957)	20	0	0	1	7	8	4	0
By Other Means	55	0	0	9	17	10	19	0
Homicide & Legal Intervention (E960-E978)	433	11	38	128	182	48	26	0
By Firearms (E965.0-E965.4)	227	0	10	88	104	19	6	0
By Cutting & Piercing Instrument (E966)	69	0	2	15	35	12	5	0
By Other Means & Legal Intervention	137	11	26	25	43	17	15	0
Injury Undetermined Whether Accidentally or Purposely Inflicted	166	3	2	19	89	31	22	0
Poisoning by Solid or Liquid Substance (E980)	83	0	0	7	59	14	3	0
Other Injury of Undetermined Intentionality	83	3	2	12	30	17	19	0
Total (All Causes)	72,183	910	379	703	5,433	11,869	52,880	9

TABLE M25. INFANT, NEO

YEAR	INFANT DEATHS	
	NUMBER	RATE*
1985	1,112	
1986	1,058	
1987	1,058	
1988	1,163	
1989	1,133	
1990	1,086	
1991	1,064	
1992	1,011	
1993	989	
1994	910	

*INFANT AND NEONATAL DEATH RATES ARE COMPUTED PER 100,000 LIVE BIRTHS.

**TABLE M26. RESIDENT INFANT, NEONATAL, POSTNEONATAL, FETAL AND MATERNAL DEATHS
BY COUNTY
NEW JERSEY, 1994**

COUNTY OF RESIDENCE	NUMBER OF DEATHS				
	INFANT*	NEONATAL	POST NEONATAL	FETAL	MATERNAL
ATLANTIC	43	32	11	33	0
BERGEN	64	50	14	55	1
BURLINGTON	29	21	8	28	0
CAMDEN	70	45	25	52	1
CAPE MAY	9	6	3	6	0
CUMBERLAND	18	14	4	14	0
ESSEX	164	103	61	146	3
GLOUCESTER	18	11	7	12	0
HUDSON	87	59	28	59	2
HUNTERDON	3	1	2	5	0
MERCER	37	22	15	29	0
MIDDLESEX	67	49	18	61	2
MONMOUTH	50	41	9	46	0
MORRIS	31	18	13	27	1
OCEAN	34	20	14	31	0
PASSAIC	70	38	32	53	1
SALEM	5	3	2	5	0
SOMERSET	14	8	6	17	0
SUSSEX	11	11	0	8	1
UNION	71	49	22	57	0
WARREN	7	5	2	2	0
MILITARY	1	1	0	2	0
NOT STATED	7	5	1	1	0
TOTAL	910	612	297	749	12

*ONE INFANT DEATH OF UNKNOWN AGE AT DEATH WAS RECORDED FOR AN UNSTATED COUNTY OF RESIDENCE

**TABLE M27. NUMBER OF DEATHS AND DEATH RATES, CRUDE AND AGE-ADJUSTED
BY COUNTY
NEW JERSEY, 1994**

COUNTY OF RESIDENCE	NUMBER OF DEATHS	CRUDE DEATH RATE*	AGE-ADJUSTED DEATH RATE**
ATLANTIC	2,511	10.8	575.3
BERGEN	7,482	8.9	406.3
BURLINGTON	3,142	7.9	493.9
CAMDEN	4,485	8.9	537.0
CAPE MAY	1,276	13.1	521.3
CUMBERLAND	1,469	10.6	612.6
ESSEX	7,957	10.4	664.6
GLOUCESTER	1,931	8.0	529.1
HUDSON	5,125	9.3	566.6
HUNTERDON	710	6.2	405.3
MERCER	2,971	9.0	499.7
MIDDLESEX	5,291	7.6	476.5
MONMOUTH	5,128	8.9	485.0
MORRIS	3,063	7.0	404.8
OCEAN	6,111	13.4	477.5
PASSAIC	4,349	9.4	550.4
SALEM	713	11.0	553.0
SOMERSET	1,764	6.8	402.4
SUSSEX	955	6.9	494.6
UNION	4,783	9.6	484.7
WARREN	831	8.7	450.5
INSTITUTIONS	1	N/A	N/A
MILITARY	19	N/A	N/A
NOT STATED	116	N/A	N/A
TOTAL	72,183	9.1	502.1

* CRUDE DEATH RATES ARE COMPUTED PER 1,000 ESTIMATED COUNTY POPULATION

**AGE-ADJUSTED DEATH RATES ARE COMPUTED PER 100,000 STANDARD POPULATION

**TABLE M28. TOTAL DEATHS BY CAUSE GROUP AND COUNTY OF RESIDENCE
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	TOTAL	ATLANTIC	BERGEN	BURLING- TON	CAMDEN	CAPE MAY	CUMBER - LAND	ESSEX
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	50	0	2	3	3	0	2	12
TUBERCULOSIS, OTHER FORMS (13-18)	16	0	2	0	1	0	1	4
MENINGOCOCCAL INFECTION (36)	12	0	0	1	0	0	0	0
SEPTICEMIA (38)	1,144	22	101	40	96	14	25	133
HIV INFECTION (42-44)	2,434	76	111	39	90	13	26	736
SYPHILIS & ITS SEQUELAE (90-97)	6	0	0	0	1	0	1	1
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	317	16	26	7	20	5	5	47
MALIGNANT NEOPLASMS (140-208)	18,532	630	2,110	848	1,147	343	333	1,880
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	182	3	26	5	7	2	3	18
DIABETES MELLITUS (250)	2,214	82	230	84	144	34	50	257
NUTRITIONAL DEFICIENCIES (260-269)	104	4	7	2	8	9	2	7
ANEMIAS (280-285)	188	4	19	6	7	5	2	32
MENINGITIS (320-322)	21	0	1	1	1	1	2	4
DISEASES OF THE HEART (390-398, 402, 404-429)	23,502	826	2,648	981	1,399	412	530	2,212
HYPERTENSION (401, 403)	271	5	18	15	18	6	2	33
CEREBROVASCULAR DISEASES (430-438)	4,218	161	461	217	234	84	78	436
ATHEROSCLEROSIS (440)	428	18	39	8	38	4	14	19
ARTERY, ARTERIOLES & CAPILLARY DIS. (441-448)	776	34	66	34	57	16	11	64
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	14	0	2	0	0	0	0	4
PNEUMONIA & INFLUENZA (480-487)	2,346	76	198	127	161	49	50	211
CHRONIC OBSTRUCTIVE PULMONARY DIS.(490-496)	2,573	81	252	147	173	54	58	210
ULCER OF STOMACH & DUODENUM (531-533)	158	6	13	6	7	3	4	14
APPENDICITIS (540-543)	16	0	1	2	1	0	3	0
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	181	11	9	11	11	4	4	17
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	892	42	59	32	36	19	12	100
CHOLELITHIASIS & GALLBLADDER DIS. (574-575)	86	1	8	4	7	5	1	8
NEPHRITIS & NEPHROSIS (580-589)	946	34	87	32	49	17	17	127
INFECTIONS OF KIDNEY (590)	12	0	4	0	1	0	0	1
HYPERPLASIA OF PROSTATE (600)	9	0	0	0	1	0	0	1
COMP OF PREGNANCY, BIRTH & PUERPERIUM (630-676)	12	0	1	0	1	0	0	3
CONGENITAL ANOMALIES (740-759)	313	12	28	13	21	4	5	32
EARLY INFANT MORTALITY (760-779)	466	23	33	20	36	3	9	80
MOTOR VEHICLE FATALITIES (E810-E825)	774	29	63	55	40	10	30	66
OTHER UNINTENTIONAL INJURIES (E800-E807,E826-E949)	1,298	53	107	55	90	25	28	222
SUICIDE (E950-E959)	588	22	60	31	41	7	14	50
HOMICIDE & LEGAL INTERVENTION (E960-E978)	433	13	13	11	57	2	16	125
ALL OTHER EXTERNAL CAUSES (E980-E999)	166	7	25	2	23	3	1	22
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	420	12	43	11	32	9	7	54
RESIDUAL	6,065	208	609	292	426	114	123	715
TOTAL	72,183	2,511	7,482	3,142	4,485	1,276	1,469	7,957

**TABLE M28. TOTAL DEATHS BY CAUSE GROUP AND COUNTY OF RESIDENCE (CONTINUED)
NEW JERSEY, 1994**

CAUSE GROUP (ICD-9 CODES)	GLOU- CESTER	HUD- SON	HUNT- ERDON	MER- CER	MIDD- LESEX	MON- MOUTH	MOR- RIS	OCEAN	PASSAIC
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	1	7	0	4	2	1	0	3	5
TUBERCULOSIS, OTHER FORMS (13-18)	0	4	0	0	1	0	0	1	2
CRYPTOCOCCAL INFECTION (36)	1	3	0	1	1	0	0	1	2
SEPTICEMIA (38)	26	93	11	52	72	101	56	105	65
SYSTEMIC INFECTION (42-44)	22	372	6	68	142	149	40	58	258
PHILIS & ITS SEQUELAE (90-97)	1	0	0	0	0	0	1	0	0
HEPATIC INFEC/PARA DISEASE (1-9, 20-35, 37, 41, 45-88, 98-139)	6	28	7	8	25	32	10	21	18
ALIGNANT NEOPLASMS (140-208)	529	1,207	183	745	1,432	1,354	839	1,580	1,024
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	5	16	1	8	16	9	4	17	18
DIABETES MELLITUS (250)	63	171	14	87	168	169	68	173	144
DIETITRITIONAL DEFICIENCIES (260-269)	3	5	1	6	12	8	5	10	4
HEMATOMAS (280-285)	1	13	0	14	15	15	5	13	9
BRONCHITIS (320-322)	0	1	0	1	2	1	1	2	0
ISCHEMIC DISEASES OF THE HEART (390-398, 402, 404-429)	639	1,557	208	979	1,683	1,630	1,014	2,356	1,425
HYPERTENSION (401, 403)	11	19	2	14	16	21	16	21	25
PERIPHERAL VASCULAR DISEASES (430-438)	105	288	50	146	263	322	165	368	280
ATHEROSCLEROSIS (440)	44	16	2	19	85	39	12	26	13
ANEURYSM, ARTERIOLES & CAPILLARY DIS. (441-448)	27	43	6	21	62	74	40	74	39
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	1	0	0	1	0	0	0	2	1
PNEUMONIA & INFLUENZA (480-487)	47	157	52	106	151	150	156	151	144
CHRONIC OBSTRUCTIVE PULMONARY DIS. (490-496)	75	156	29	121	177	198	101	262	123
CANCER OF STOMACH & DUODENUM (531-533)	2	10	4	10	13	9	9	13	13
PANCREATITIS (540-543)	0	2	1	1	1	1	0	0	0
COLONIA & INTESTINAL OBSTRUCTION (550-553,560)	1	19	2	11	14	13	13	12	10
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	16	90	8	38	78	70	37	62	65
GALLBLADDER DISEASES (574-575)	1	9	1	3	10	11	2	5	3
NEPHRITIS & NEPHROSIS (580-589)	32	85	7	29	57	58	34	102	54
DISEASES OF KIDNEY (590)	0	2	0	0	1	1	1	0	0
HYPERPLASIA OF PROSTATE (600)	0	0	0	1	2	2	0	0	0
COMPLICATIONS OF PREGNANCY, BIRTH & PUERPERIUM (630-676)	0	2	0	0	2	0	1	0	1
CONGENITAL ANOMALIES (740-759)	7	29	3	13	31	21	12	21	19
PERINATAL INFANT MORTALITY (760-779)	12	43	0	20	35	31	11	13	31
TRAFFIC MOTOR VEHICLE FATALITIES (E810-E825)	33	41	15	38	70	39	41	63	40
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	34	96	10	61	107	72	35	68	85
POISONING (E950-E959)	14	44	11	25	55	33	33	33	37
SUICIDE & LEGAL INTERVENTION (E960-E978)	8	47	2	11	23	18	5	10	25
OTHER EXTERNAL CAUSES (E980-E999)	4	10	5	1	1	15	7	6	12
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	5	39	2	21	32	24	20	29	23
TOTAL	155	401	67	287	434	437	269	430	332
TOTAL	1,931	5,125	710	2,971	5,291	5,128	3,063	6,111	4,349

TABLE M28. TOTAL DEATHS BY CAUSE GROUP AND COUNTY OF RESIDENCE (CONTINUED)
NEW JERSEY, 1994

CAUSE GROUP (ICD-9 CODES)	SALEM	SOMER-SET	SUSSEX	UNION	WARREN	INSTI-TUTION	MILITARY	NOT STATED
TUBERCULOSIS, RESPIRATORY SYSTEM (10-12)	0	2	0	3	0	0	0	0
TUBERCULOSIS, OTHER FORMS (13-18)	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION (36)	0	1	0	1	0	0	0	0
SEPTICEMIA (38)	7	28	10	74	10	0	1	2
HIV INFECTION (42-44)	11	31	8	168	5	0	1	4
SYPHILIS & ITS SEQUELAE (90-97)	1	0	0	0	0	0	0	0
OTHER INFEC/PARA DISEASE (1-9, 20-35, 37, 39-41, 45-88, 98-139)	4	8	3	18	3	0	0	0
MALIGNANT NEOPLASMS (140-208)	175	464	254	1,204	221	0	4	26
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	1	5	4	12	2	0	0	0
DIABETES MELLITUS (250)	26	58	27	150	14	0	0	1
NUTRITIONAL DEFICIENCIES (260-269)	0	2	4	5	0	0	0	0
ANEMIAS (280-285)	4	4	4	13	3	0	0	0
MENINGITIS (320-322)	0	2	0	0	1	0	0	0
DISEASES OF THE HEART (390-398, 402, 404-429)	246	546	302	1,572	297	1	2	37
HYPERTENSION (401, 403)	1	5	1	19	3	0	0	0
CEREBROVASCULAR DISEASES (430-438)	50	85	49	319	50	0	0	7
ATHEROSCLEROSIS (440)	5	10	2	12	3	0	0	0
ARTERY, ARTERIOLES & CAPILLARY DIS. (441-448)	6	22	14	54	12	0	0	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	0	1	1	1	0	0	0	0
PNEUMONIA & INFLUENZA (480-487)	25	93	43	155	39	0	3	2
CHRONIC OBSTRUCTIVE PULMONARY DIS. (490-496)	31	70	50	163	40	0	1	1
ULCER OF STOMACH & DUODENUM (531-533)	3	4	2	12	1	0	0	0
APPENDICITIS (540-543)	0	0	0	3	0	0	0	0
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	0	4	1	11	2	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	9	22	14	68	12	0	0	3
CHOLELITHIASIS & GALLBLADDER DIS. (574-575)	1	3	0	2	1	0	0	0
NEPHRITIS & NEPHROSIS (580-589)	9	20	11	65	18	0	1	1
INFECTIONS OF KIDNEY (590)	0	0	0	1	0	0	0	0
HYPERPLASIA OF PROSTATE (600)	0	1	0	1	0	0	0	0
COMP OF PREGNANCY, BIRTH & PUERPERIUM (630-676)	0	0	1	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	2	5	3	26	5	0	0	1
EARLY INFANT MORTALITY (760-779)	2	8	9	38	4	0	0	5
MOTOR VEHICLE FATALITIES (E810-E825)	14	19	15	35	12	0	1	5
OTHER UNINTENTIONAL INJURIES (E800-E807, E826-E949)	13	25	10	80	20	0	1	1
SUICIDE (E950-E959)	4	20	12	34	8	0	0	0
HOMICIDE & LEGAL INTERVENTION (E960-E978)	3	4	2	32	0	0	0	6
ALL OTHER EXTERNAL CAUSES (E980-E999)	2	3	7	9	0	0	0	1
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	6	21	6	16	5	0	0	3
RESIDUAL	52	168	86	407	40	0	4	9
TOTAL	713	1,764	955	4,783	831	1	19	116